There were only 4 cases in this subset of the data.

For the purpose of maintaining confidentiality, when the case total is 4 or 5, the HIV/STD Epidemiology Division will only release frequencies for single variables. We will not release crosstabulations of multiple variables.

<u>Variable:</u>	<u>Category:</u>	Case Count (%):
Age Group -	30-34 35-39 60-64 Total	1 (25.0%) 2 (50.0%) 1 (25.0%) 4 (100.0%)
Race/Ethnicity -	White Non-Hispanic African American Total	3 (75.0%) 1 (25.0%) 4 (100.0%)
Sex -	Male Total	4 (100.0%) 4 (100.0%)
Adult/Pediatric -	Adult/Adolescent Total	4 (100.0%) 4 (100.0%)
Mode of Exposure -	MMS Not Classified Total	2 (50.0%) 2 (50.0%) 4 (100.0%)

There were only 5 cases in this subset of the data.

For the purpose of maintaining confidentiality, when the case total is 4 or 5, the HIV/STD Epidemiology Division will only release frequencies for single variables. We will not release crosstabulations of multiple variables.

<u>Variable:</u>	<u>Category:</u>	Case Count (%):
Age Group -	20-24 35-39 40-44 50-54 Total	1 (20.0%) 1 (20.0%) 2 (40.0%) 1 (20.0%) 5 (100.0%)
Race/Ethnicity -	White Non-Hispanic Hispanic Total	3 (60.0%) 2 (40.0%) 5 (100.0%)
Sex -	Male Total	5 (100.0%) 5 (100.0%)
Adult/Pediatric -	Adult/Adolescent Total	5 (100.0%) 5 (100.0%)
Mode of Exposure -	MMS IDU MMS & IDU Total	2 (40.0%) 1 (20.0%) 2 (40.0%) 5 (100.0%)

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1	0	1
Diagnosis		% within Sex	3.8%	.0%	2.9%
	20-24	Count	3	2	5
		% within Sex	11.5%	22.2%	14.3%
	25-29	Count	0	2	2
		% within Sex	.0%	22.2%	5.7%
	30-34	Count	4	1	5
		% within Sex	15.4%	11.1%	14.3%
	35-39	Count	5	1	6
		% within Sex	19.2%	11.1%	17.1%
	40-44	Count	5	1	6
		% within Sex	19.2%	11.1%	17.1%
	45-49	Count	6	0	6
		% within Sex	23.1%	.0%	17.1%
	50-54	Count	1	1	2
		% within Sex	3.8%	11.1%	5.7%
	60-64	Count	1	1	2
		% within Sex	3.8%	11.1%	5.7%
Total		Count	26	9	35
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	16	4	20
		% within Sex	61.5%	44.4%	57.1%
	African American	Count	4	3	7
		% within Sex	15.4%	33.3%	20.0%
	Hispanic	Count	6	2	8
		% within Sex	23.1%	22.2%	22.9%
Total		Count	26	9	35
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	14	0	14
Exposure		% within Sex	53.8%	.0%	40.0%
	IDU	Count	5	1	6
		% within Sex	19.2%	11.1%	17.1%
	M-M & IDU	Count	2	0	2
		% within Sex	7.7%	.0%	5.7%
	Heterosexual Contact	Count	0	6	6
		% within Sex	.0%	66.7%	17.1%
	Not Classified	Count	4	2	6
		% within Sex	15.4%	22.2%	17.1%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	3.8%	.0%	2.9%
Total		Count	26	9	35
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	19	20
		% within Adult-Ped	100.0%	55.9%	57.1%
	African American	Count	0	7	7
		% within Adult-Ped	.0%	20.6%	20.0%
	Hispanic	Count	0	8	8
		% within Adult-Ped	.0%	23.5%	22.9%
Total		Count	1	34	35
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	5-12	Count	1	0	1
Diagnosis		% within Sex	4.2%	.0%	3.0%
	20-24	Count	3	2	5
		% within Sex	12.5%	22.2%	15.2%
	25-29	Count	0	2	2
		% within Sex	.0%	22.2%	6.1%
	30-34	Count	4	1	5
		% within Sex	16.7%	11.1%	15.2%
	35-39	Count	5	1	6
		% within Sex	20.8%	11.1%	18.2%
	40-44	Count	5	1	6
		% within Sex	20.8%	11.1%	18.2%
	45-49	Count	4	0	4
		% within Sex	16.7%	.0%	12.1%
	50-54	Count	1	1	2
		% within Sex	4.2%	11.1%	6.1%
	60-64	Count	1	1	2
		% within Sex	4.2%	11.1%	6.1%
Total		Count	24	9	33
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	13-19	Count	1	0	1
Age		% within Sex	4.2%	.0%	3.0%
	20-24	Count	1	1	2
		% within Sex	4.2%	11.1%	6.1%
	25-29	Count	2	1	3
		% within Sex	8.3%	11.1%	9.1%
	30-34	Count	2	2	4
		% within Sex	8.3%	22.2%	12.1%
	35-39	Count	1	0	1
		% within Sex	4.2%	.0%	3.0%
	40-44	Count	8	2	10
		% within Sex	33.3%	22.2%	30.3%
	45-49	Count	3	1	4
		% within Sex	12.5%	11.1%	12.1%
	50-54	Count	5	0	5
		% within Sex	20.8%	.0%	15.2%
	55-59	Count	0	1	1
		% within Sex	.0%	11.1%	3.0%
	60-64	Count	1	0	1
		% within Sex	4.2%	.0%	3.0%
	65-69	Count	0	1	1
		% within Sex	.0%	11.1%	3.0%
Total		Count	24	9	33
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Se		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	15	4	19
		% within Sex	62.5%	44.4%	57.6%
	African American	Count	4	3	7
		% within Sex	16.7%	33.3%	21.2%
	Hispanic	Count	5	2	7
		% within Sex	20.8%	22.2%	21.2%
Total		Count	24	9	33
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12	0	12
Exposure		% within Sex	50.0%	.0%	36.4%
	IDU	Count	5	1	6
		% within Sex	20.8%	11.1%	18.2%
	M-M & IDU	Count	2	0	2
		% within Sex	8.3%	.0%	6.1%
	Heterosexual Contact	Count	0	6	6
		% within Sex	.0%	66.7%	18.2%
	Not Classified	Count	4	2	6
		% within Sex	16.7%	22.2%	18.2%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	4.2%	.0%	3.0%
Total		Count	24	9	33
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	18	19
		% within Adult-Ped	100.0%	56.3%	57.6%
	African American	Count	0	7	7
		% within Adult-Ped	.0%	21.9%	21.2%
	Hispanic	Count	0	7	7
		% within Adult-Ped	.0%	21.9%	21.2%
Total		Count	1	32	33
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

There was only 1 case in this subset of the data.

For the purpose of maintaining confidentiality, when the case total is 1, 2, or 3, the HIV/STD Epidemiology Division will only release the total number of cases. Neither frequencies of single variables, nor crosstabulations of multiple variables, will be released.

Age at Diagnosis * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Age at	30-34	Count	2	0	2
Diagnosis		% within Sex	25.0%	.0%	20.0%
	35-39	Count	6	0	6
		% within Sex	75.0%	.0%	60.0%
	40-44	Count	0	1	1
		% within Sex	.0%	50.0%	10.0%
	55-59	Count	0	1	1
		% within Sex	.0%	50.0%	10.0%
Total		Count	8	2	10
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2	0	2
		% within Sex	25.0%	.0%	20.0%
	African American	Count	2	1	3
		% within Sex	25.0%	50.0%	30.0%
	Hispanic	Count	4	1	5
		% within Sex	50.0%	50.0%	50.0%
Total		Count	8	2	10
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	4	0	4
Exposure		% within Sex	50.0%	.0%	40.0%
	IDU	Count	2	0	2
		% within Sex	25.0%	.0%	20.0%
	M-M & IDU	Count	2	0	2
		% within Sex	25.0%	.0%	20.0%
	Heterosexual Contact	Count	0	2	2
		% within Sex	.0%	100.0%	20.0%
Total		Count	8	2	10
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

			Adult-Ped Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	2
		% within Adult-Ped	20.0%	20.0%
	African American	Count	3	3
		% within Adult-Ped	30.0%	30.0%
	Hispanic	Count	5	5
		% within Adult-Ped	50.0%	50.0%
Total		Count	10	10
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	7.7%	.8%
	5-12	Count	1	0	1
		% within Sex	.9%	.0%	.8%
	20-24	Count	5	0	5
		% within Sex	4.6%	.0%	4.1%
	25-29	Count	13	2	15
		% within Sex	12.0%	15.4%	12.4%
	30-34	Count	32	3	35
		% within Sex	29.6%	23.1%	28.9%
	35-39	Count	32	1	33
		% within Sex	29.6%	7.7%	27.3%
	40-44	Count	13	2	15
		% within Sex	12.0%	15.4%	12.4%
	45-49	Count	7	2	9
		% within Sex	6.5%	15.4%	7.4%
	50-54	Count	3	0	3
		% within Sex	2.8%	.0%	2.5%
	55-59	Count	0	2	2
		% within Sex	.0%	15.4%	1.7%
	60-64	Count	2	0	2
		% within Sex	1.9%	.0%	1.7%
Total		Count	108	13	121
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	67	4	71
		% within Sex	62.0%	30.8%	58.7%
	African American	Count	11	2	13
		% within Sex	10.2%	15.4%	10.7%
	Hispanic	Count	30	7	37
		% within Sex	27.8%	53.8%	30.6%
Total		Count	108	13	121
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	63	0	63
Exposure		% within Sex	58.3%	.0%	52.1%
	IDU	Count	12	2	14
		% within Sex	11.1%	15.4%	11.6%
	M-M & IDU	Count	21	0	21
		% within Sex	19.4%	.0%	17.4%
	Hemophiliac	Count	1	0	1
		% within Sex	.9%	.0%	.8%
	Heterosexual Contact	Count	1	8	9
		% within Sex	.9%	61.5%	7.4%
	Transfusion	Count	2	1	3
		% within Sex	1.9%	7.7%	2.5%
	Not Classified	Count	7	1	8
		% within Sex	6.5%	7.7%	6.6%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.9%	.0%	.8%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	7.7%	.8%
Total		Count	108	13	121
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	71	71
		% within Adult-Ped	.0%	59.7%	58.7%
	African American	Count	0	13	13
		% within Adult-Ped	.0%	10.9%	10.7%
	Hispanic	Count	2	35	37
		% within Adult-Ped	100.0%	29.4%	30.6%
Total		Count	2	119	121
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	14.3%	1.6%
	20-24	Count	3	0	3
		% within Sex	5.5%	.0%	4.8%
	25-29	Count	8	2	10
		% within Sex	14.5%	28.6%	16.1%
	30-34	Count	16	2	18
		% within Sex	29.1%	28.6%	29.0%
	35-39	Count	17	0	17
		% within Sex	30.9%	.0%	27.4%
	40-44	Count	9	1	10
		% within Sex	16.4%	14.3%	16.1%
	45-49	Count	1	0	1
		% within Sex	1.8%	.0%	1.6%
	50-54	Count	1	0	1
		% within Sex	1.8%	.0%	1.6%
	55-59	Count	0	1	1
		% within Sex	.0%	14.3%	1.6%
Total		Count	55	7	62
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	0	1	1
Age		% within Sex	.0%	14.3%	1.6%
	25-29	Count	1	0	1
		% within Sex	1.8%	.0%	1.6%
	30-34	Count	6	3	9
		% within Sex	10.9%	42.9%	14.5%
	35-39	Count	16	0	16
		% within Sex	29.1%	.0%	25.8%
	40-44	Count	16	2	18
		% within Sex	29.1%	28.6%	29.0%
	45-49	Count	10	0	10
		% within Sex	18.2%	.0%	16.1%
	50-54	Count	3	0	3
		% within Sex	5.5%	.0%	4.8%
	55-59	Count	1	1	2
		% within Sex	1.8%	14.3%	3.2%
	60-64	Count	1	0	1
		% within Sex	1.8%	.0%	1.6%
	65-69	Count	1	0	1
		% within Sex	1.8%	.0%	1.6%
Total	·	Count	55	7	62
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	32	1	33
		% within Sex	58.2%	14.3%	53.2%
	African American	Count	5	2	7
		% within Sex	9.1%	28.6%	11.3%
	Hispanic	Count	18	4	22
		% within Sex	32.7%	57.1%	35.5%
Total		Count	55	7	62
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	35	0	35
Exposure		% within Sex	63.6%	.0%	56.5%
	IDU	Count	8	0	8
		% within Sex	14.5%	.0%	12.9%
	M-M & IDU	Count	9	0	9
		% within Sex	16.4%	.0%	14.5%
	Heterosexual Contact	Count	1	6	7
		% within Sex	1.8%	85.7%	11.3%
	Not Classified	Count	2	0	2
		% within Sex	3.6%	.0%	3.2%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	14.3%	1.6%
Total		Count	55	7	62
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	33	33
		% within Adult-Ped	.0%	54.1%	53.2%
	African American	Count	0	7	7
		% within Adult-Ped	.0%	11.5%	11.3%
	Hispanic	Count	1	21	22
		% within Adult-Ped	100.0%	34.4%	35.5%
Total		Count	1	61	62
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Age at Diagnosis * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	6.3%	1.1%
	5-12	Count	1	0	1
		% within Sex	1.3%	.0%	1.1%
	20-24	Count	6	2	8
		% within Sex	7.6%	12.5%	8.4%
	25-29	Count	8	4	12
		% within Sex	10.1%	25.0%	12.6%
	30-34	Count	20	3	23
		% within Sex	25.3%	18.8%	24.2%
	35-39	Count	22	1	23
		% within Sex	27.8%	6.3%	24.2%
	40-44	Count	14	2	16
		% within Sex	17.7%	12.5%	16.8%
	45-49	Count	5	0	5
		% within Sex	6.3%	.0%	5.3%
	50-54	Count	2	1	3
		% within Sex	2.5%	6.3%	3.2%
	55-59	Count	0	1	1
		% within Sex	.0%	6.3%	1.1%
	60-64	Count	1	1	2
		% within Sex	1.3%	6.3%	2.1%
Total		Count	79	16	95
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Current	5-12	Count	0	1	1
Age		% within Sex	.0%	6.3%	1.1%
	13-19	Count	1	0	1
		% within Sex	1.3%	.0%	1.1%
	20-24	Count	1	1	2
		% within Sex	1.3%	6.3%	2.1%
	25-29	Count	3	1	4
		% within Sex	3.8%	6.3%	4.2%
	30-34	Count	8	5	13
		% within Sex	10.1%	31.3%	13.7%
	35-39	Count	17	0	17
		% within Sex	21.5%	.0%	17.9%
	40-44	Count	24	4	28
		% within Sex	30.4%	25.0%	29.5%
	45-49	Count	13	1	14
		% within Sex	16.5%	6.3%	14.7%
	50-54	Count	8	0	8
		% within Sex	10.1%	.0%	8.4%
	55-59	Count	1	2	3
		% within Sex	1.3%	12.5%	3.2%
	60-64	Count	2	0	2
		% within Sex	2.5%	.0%	2.1%
	65-69	Count	1	1	2
		% within Sex	1.3%	6.3%	2.1%
Total		Count	79	16	95
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	47	5	52
		% within Sex	59.5%	31.3%	54.7%
	African American	Count	9	5	14
		% within Sex	11.4%	31.3%	14.7%
	Hispanic	Count	23	6	29
		% within Sex	29.1%	37.5%	30.5%
Total		Count	79	16	95
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	47	0	47
Exposure		% within Sex	59.5%	.0%	49.5%
	IDU	Count	13	1	14
		% within Sex	16.5%	6.3%	14.7%
	M-M & IDU	Count	11	0	11
		% within Sex	13.9%	.0%	11.6%
	Heterosexual Contact	Count	1	12	13
		% within Sex	1.3%	75.0%	13.7%
	Not Classified	Count	6	2	8
		% within Sex	7.6%	12.5%	8.4%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	1.3%	6.3%	2.1%
Total		Count	79	16	95
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	51	52
		% within Adult-Ped	50.0%	54.8%	54.7%
	African American	Count	0	14	14
		% within Adult-Ped	.0%	15.1%	14.7%
	Hispanic	Count	1	28	29
		% within Adult-Ped	50.0%	30.1%	30.5%
Total		Count	2	93	95
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Concho Plateau